Available at
www.ElsevierMathematics.com
POWERED BY SCIENCE DIRECT®
Discrete Mathematics 279 (2004) 499–501
DISCRETE MATHEMATICS
www.elsevier.com/locate/disc

Author index to volume 279

Abel, R.J.R., I. Bluskov and M. Greig, Balanced incomplete block designs with block size 9: part II (1–3) 5–32
Anderson, I. and D.A. Preece, Narcissistic half-and-half power-sequence terraces for $\mathbb{Z}_n$ with $n = pq^l$ (1–3) 33–60

Bennett, F.E., C.J. Colbourn, R. Wei and J. Yin, Preface (1–3) 1–2
Bennett, F.E., Y. Chang, G. Ge and M. Greig, Existence of $(v, \{5, w^*\}, 1)$-PBDs (1–3) 61–105
Bluskov, I., see R.J.R. Abel (1–3) 5–32
Buratti, M. and A. del Fra, Cyclic Hamiltonian cycle systems of the complete graph (1–3) 107–119

Cao, H. and Y. Tang, On Kirkman packing designs KPD($\{3, 4\}, v$) (1–3) 121–133
Cao, Z., see K. Chen (1–3) 153–161
Chang, Y. and J. Yin, Further results on optimal optical orthogonal codes with weight 4 (1–3) 135–151
Chang, Y., see F.E. Bennett (1–3) 61–105
Chang, Y., see Y. Xu (1–3) 479–498
Chen, K., Z. Cao and D. Wu, Existence of APAV(q, k) with q a prime power $\equiv$ 5 (mod 8) and $k \equiv 1$ (mod 4) (1–3) 153–161
Chu , W. and C.J. Colbourn, Optimal $(n, 4, 2)$-OOC of small orders (1–3) 163–172
Colbourn , C.J., see W. Chu (1–3) 163–172
Colbourn, C.J., see F.E. Bennett (1–3) 1–2

Del Fra, A., see M. Buratti (1–3) 107–119
Deng, D., see H. Shen (1–3) 437–462
Du, B., Existence of optimal strong partially balanced designs with block size five (1–3) 173–190

Fang, K.-T., G. Ge, M.-Q. Liu and H. Qin, Combinatorial constructions for optimal supersaturated designs (1–3) 191–202
Finizio, N.J. and B.J. Travers, Z-cyclic generalized whist frames and Z-cyclic generalized whist tournaments (1–3) 215–223
Finizio, N.J., One frame and several new infinite families of Z-cyclic whist designs (1–3) 203–213

Ge, G. and A.C.H. Ling, A survey on resolvable group divisible designs with block size four (1–3) 225–245
Ge, G. and R. Rees, On group-divisible designs with block size four and group-type $6^n m^1$ (1–3) 247–265
Ge, G. and R. Wei, HGDDs with block size four (1–3) 267–276
Ge, G., see F.E. Bennett (1–3) 61–105
Ge, G., see K.-T. Fang (1–3) 191–202
Greig, M., see R.J.R. Abel (1–3) 5–32
Greig, M., see F.E. Bennett (1–3) 61–105

0012-365X/04/$ - see front matter
doi:10.1016/S0012-365X(04)00071-8

Hollmann, H.D.L. and Q. Xiang, Kloosterman sum identities over $\mathbf{F}_{2^m}$ (1–3) 277–286

Jimbo, M., see M. Müller (1–3) 369–381

Kang, Q., Y. Zhang and H. Zuo, Packings and coverings of λK_v by k-circuits with one chord (1–3) 287–315
Kharaghani, H. and B. Tayfeh-Rezaie, Some new orthogonal designs in orders 32 and 40 (1–3) 317–324
Küçükçifçi, S. and C.C. Lindner, Perfect hexagon triple systems (1–3) 325–335
Kurosawa, K., see W. Ogata (1–3) 383–405

Leach, C.D. and C.A. Rodger, Hamilton decompositions of complete graphs with a 3-factor leave (1–3) 337–344
Lei, J., On large sets of Kirkman triple systems and 3-wise balanced design (1–3) 345–354
Li, P.C., see A.C.H. Ling (1–3) 355–368
Lindner, C.C., see S. Küçükçifçi (1–3) 325–335
Ling, A.C.H., P.C. Li and G.H.J. van Rees, Splitting systems and separating systems (1–3) 355–368
Ling, A.C.H., see G. Ge (1–3) 225–245
Liu, M.-Q., see K.-T. Fang (1–3) 191–202

Mendelsohn, E., see G. Quattrocchi (1–3) 407–421
Müller, M. and M. Jimbo, Consecutive positive detectable matrices and group testing for consecutive positives (1–3) 369–381

Ogata, W., K. Kurosawa, D.R. Stinson and H. Saido, New combinatorial designs and their applications to authentication codes and secret sharing schemes (1–3) 383–405

Preece, D.A., see I. Anderson (1–3) 33– 60

Qin, H., see K.-T. Fang (1–3) 191–202
Quattrocchi, G. and E. Mendelsohn, Minimum embedding of balanced P_4-designs into 5-cycle systems (1–3) 407–421

Rees, R., see G. Ge (1–3) 247–265
Ren, L.-Z., see J.-Y. Shao (1–3) 423–435
Rodger, C.A., see C.D. Leach (1–3) 337–344

Saido, H., see W. Ogata (1–3) 383–405
Shao, J.-Y. and L.-Z. Ren, Some properties of matrices with signed null spaces (1–3) 423–435
Shen, H., R. Su and D. Deng, Existence of incomplete resolvable minimum coverings of pairs by triples (1–3) 437–462
Stinson, D.R. and R. Wei, Generalized cover-free families (1–3) 463–477
Stinson, D.R., see W. Ogata (1–3) 383–405
Su, R., see H. Shen (1–3) 437–462

Tang, Y., see H. Cao (1–3) 121–133
Tayfeh-Rezaie, B., see H. Kharaghani (1–3) 317–324
Travers, B.J., see N.J. Finizio (1–3) 215–223

van Rees, G.H.J., see A.C.H. Ling (1–3) 355–368

Wei, R., see F.E. Bennett (1–3) 1– 2
Wei, R., see G. Ge (1–3) 267–276
Wei, R., see D.R. Stinson (1–3) 463–477
Wu, D., see K. Chen (1–3) 153–161

Xiang, Q., see H.D.L. Hollmann (1–3) 277–286
Xu, Y. and Y. Chang, On the spectrum of *r*-self-orthogonal Latin squares (1–3) 479–498

Yin, J., see F.E. Bennett (1–3) 1– 2
Yin, J., see Y. Chang (1–3) 135–151

Zhang, Y., see Q. Kang (1–3) 287–315
Zuo, H., see Q. Kang (1–3) 287–315